To: Roverso, Maria[Roverso.Maria@epa.gov]
Cc: Robin, George[Robin.George@epa.gov]

From: Robin, George

Sent: Thur 1/22/2015 10:37:28 PM

Subject: RE: (Corrected Version) PO Close-out Certification Report, CA Dept. of Conservation-DOG, G-

00921613-2, expired 9/30/2014 POCloseoutCert - G-00921613-2.doc

Hi Maria, sorry that I did not focus well enough, but upon review of the document, I noticed that I did not include the End-of-Year Evaluation Section. This attachment is the "corrected" complete PO Close-out Cert.

George

George Robin (robin.george@epa.gov)

Engineer, Underground Injection Control

US EPA, Region IX Phone (415) 972-3532

75 Hawthorne St. Fax (415) 947-3549

Ground Water Office

Mail Code: WTR-3-2 (new)

San Francisco, CA 94105

From: Robin, George

Sent: Thursday, January 22, 2015 2:25 PM

To: Roverso, Maria **Cc:** Robin, George

Subject: RE: PO Close-out Certification Report, CA Dept. of Conservation-DOG, G-00921613-

2, expired 9/30/2014

HI Maria, attached is the completed Report.

Please let me know if this is satisfactory or if there is anything needed from or through me.

• □ □ □ □ □ Yes, thank you, I am doing well with family and also with friends who are in need of healing from the loss too.

George

From: Roverso, Maria

Sent: Wednesday, January 21, 2015 9:23 AM

To: Robin, George

Subject: FW: Action: PO Close-out Certification Report, CA Dept. of Conservation-DOG, G-

00921613-2, expired 9/30/2014

Hi George, hope you are doing well with your family. I am forwarding a copy of the PO Close-out Certification Report for CDOG. Can you please let me know when can I expect to receive it. I need to close it out in IGMS. Thank you kindly.

Maria Roverso

Grants Management Office, MTS-7

(415) 972-3573

From: Roverso, Maria

Sent: Monday, November 03, 2014 2:44 PM

To: Robin, George

Subject: Action: PO Close-out Certification Report, CA Dept. of Conservation-DOG, G-

00921613-2, expired 9/30/2014

